

# 2015 Medicare physician fee schedule relative value units

Conversion factor for 2015 = \$35.7547, released Dec. 23, 2014

Below are listed the final pathology-related Medicare relative value units for 2015, as detailed in the Centers for Medicare and Medicaid Services final physician fee schedule, released Dec. 23, 2014.

CPT/HCPCS	Modifier	Description	Status code	Work RVU	Non-facility PE RVU	Facility PE RVU	Mal-practice RVU	Non-facility total	Facility total
G0124		Screen c/v thin layer by md	A	0.42	0.47	0.47	0.02	0.91	0.91
G0141		Scr c/v cyto,autosis and md	A	0.42	0.47	0.47	0.02	0.91	0.91
G0364		Bone marrow aspirate & biopsy	A	0.16	0.18	0.08	0.01	0.35	0.25
G0416		Prostate biopsy, any mthd	A	3.09	14.92	NA	0.06	18.07	18.07
G0416	TC	Prostate biopsy, any mthd	A	0.00	12.97	NA	0.01	12.98	12.98
G0416	26	Prostate biopsy, any mthd	A	3.09	1.95	1.95	0.05	5.09	5.09
G0452	26	Molecular pathology interpr	A	0.37	0.14	0.14	0.02	0.53	0.53
P3001		Screening pap smear by phys	A	0.42	0.47	0.47	0.02	0.91	0.91
10021		Fna w/o image	A	1.27	2.78	0.55	0.18	4.23	2.00
10022		Fna w/image	A	1.27	2.60	0.48	0.15	4.02	1.90
36430		Blood transfusion service	A	0.00	0.96	NA	0.02	0.98	0.98
36440		Bl push transfuse 2 yr<	A	1.03	NA	0.35	0.24	1.62	1.62
36450		Bl exchange/transfuse nb	A	2.23	NA	0.88	0.31	3.42	3.42
36455		Bl exchange/transfuse non-nb	A	2.43	NA	0.71	0.58	3.72	3.72
36460		Transfusion service fetal	A	6.58	NA	2.59	0.82	9.99	9.99
36511		Apheresis wbc	A	1.74	NA	0.74	0.17	2.65	2.65
36512		Apheresis rbc	A	1.74	NA	0.84	0.14	2.72	2.72
36513		Apheresis platelets	A	1.74	NA	0.78	0.27	2.79	2.79
36514		Apheresis plasma	A	1.74	13.24	0.75	0.18	15.16	2.67
36515		Apheresis adsorp/reinfuse	A	1.74	56.31	0.69	0.19	58.24	2.62
36516		Apheresis selective	A	1.22	57.27	0.49	0.31	58.80	2.02
36522		Photopheresis	A	1.67	37.66	1.12	0.12	39.45	2.91
36600		Withdrawal of arterial blood	A	0.32	0.56	0.10	0.02	0.90	0.44
38205		Harvest allogeneic stem cell	R	1.50	NA	0.76	0.10	2.36	2.36
38206		Harvest auto stem cells	R	1.50	NA	0.78	0.10	2.38	2.38
38207		Cryopreserve stem cells	I	0.89	NA	0.34	0.05	1.28	1.28
38208		Thaw preserved stem cells	I	0.56	NA	0.21	0.03	0.80	0.80
38209		Wash harvest stem cells	I	0.24	NA	0.09	0.01	0.34	0.34
38210		T-cell depletion of harvest	I	1.57	NA	0.60	0.11	2.28	2.28
38211		Tumor cell deplete of harvest	I	1.42	NA	0.54	0.10	2.06	2.06
38212		Rbc depletion of harvest	I	0.94	NA	0.36	0.06	1.36	1.36
38213		Platelet deplete of harvest	I	0.24	NA	0.09	0.01	0.34	0.34
38214		Volume deplete of harvest	I	0.81	NA	0.31	0.05	1.17	1.17
38215		Harvest stem cell concentrte	I	0.94	NA	0.36	0.06	1.36	1.36
38220		Bone marrow aspiration	A	1.08	3.45	0.55	0.14	4.67	1.77
38221		Bone marrow biopsy	A	1.37	3.29	0.69	0.10	4.76	2.16
38230		Bone marrow harvest allogeneic	A	3.50	NA	1.76	0.44	5.70	5.70
80500		Lab pathology consultation	A	0.37	0.26	0.17	0.02	0.65	0.56
80502		Lab pathology consultation	A	1.33	0.66	0.57	0.06	2.05	1.96
83020		Hemoglobin electrophoresis	A	0.37	0.14	0.14	0.02	0.53	0.53
84165	26	Protein e-phoresis serum	A	0.37	0.14	0.14	0.02	0.53	0.53
84166	26	Protein e-phoresis/urine/csf	A	0.37	0.14	0.14	0.02	0.53	0.53
84181	26	Western blot test	A	0.37	0.14	0.14	0.02	0.53	0.53
84182	26	Protein western blot test	A	0.37	0.14	0.14	0.02	0.53	0.53
85060		Blood smear interpretation	A	0.45	NA	0.23	0.02	0.70	0.70
85097		Bone marrow interpretation	A	0.94	1.52	0.41	0.04	2.50	1.39
85390	26	Fibrinolytics screen i&r	A	0.37	0.14	0.14	0.02	0.53	0.53
85396		Clotting assay whole blood	A	0.37	NA	0.19	0.02	0.58	0.58
85576	26	Blood platelet aggregation	A	0.37	0.14	0.14	0.02	0.53	0.53
86077		Phys blood bank serv xmatch	A	0.94	0.59	0.48	0.05	1.58	1.47
86078		Phys blood bank serv reactj	A	0.94	0.58	0.47	0.05	1.57	1.46
86079		Phys blood bank serv authrj	A	0.94	0.55	0.45	0.05	1.54	1.44
86153	26	Cell enumeration phys interp	A	0.69	0.26	0.26	0.04	0.99	0.99
86255	26	Fluorescent antibody screen	A	0.37	0.14	0.14	0.02	0.53	0.53

CPT/HCPCS	Modifier	Description	Status code	Work RVU	Non-facility PE RVU	Facility PE RVU	Mal-practice RVU	Non-facility total	Facility total
86256	26	Fluorescent antibody titer	A	0.37	0.14	0.14	0.02	0.53	0.53
86320	26	Serum immunoelectrophoresis	A	0.37	0.14	0.14	0.02	0.53	0.53
86325	26	Other immunoelectrophoresis	A	0.37	0.14	0.14	0.02	0.53	0.53
86327	26	Immunoelectrophoresis assay	A	0.42	0.16	0.16	0.03	0.61	0.61
86334	26	Immunofix e-phoresis serum	A	0.37	0.14	0.14	0.02	0.53	0.53
86335	26	Immunofix e-phoresis/urine/csf	A	0.37	0.14	0.14	0.02	0.53	0.53
87164	26	Dark field examination	A	0.37	0.14	0.14	0.02	0.53	0.53
87207	26	Smear special stain	A	0.37	0.14	0.14	0.02	0.53	0.53
88104		Cytopath fl nongyn smears	A	0.56	1.52	NA	0.02	2.10	2.10
88104	TC	Cytopath fl nongyn smears	A	0.00	1.26	NA	0.01	1.27	1.27
88104	26	Cytopath fl nongyn smears	A	0.56	0.26	0.26	0.01	0.83	0.83
88106		Cytopath fl nongyn filter	A	0.37	2.07	NA	0.02	2.46	2.46
88106	TC	Cytopath fl nongyn filter	A	0.00	1.89	NA	0.01	1.90	1.90
88106	26	Cytopath fl nongyn filter	A	0.37	0.18	0.18	0.01	0.56	0.56
88108		Cytopath concentrate tech	A	0.44	1.91	NA	0.02	2.37	2.37
88108	TC	Cytopath concentrate tech	A	0.00	1.70	NA	0.01	1.71	1.71
88108	26	Cytopath concentrate tech	A	0.44	0.21	0.21	0.01	0.66	0.66
88112		Cytopath cell enhance tech	A	0.56	1.23	NA	0.02	1.81	1.81
88112	TC	Cytopath cell enhance tech	A	0.00	1.00	NA	0.01	1.01	1.01
88112	26	Cytopath cell enhance tech	A	0.56	0.23	0.23	0.01	0.80	0.80
88120		Cytp ume 3-5 probes ea spec	A	1.20	16.19	NA	0.04	17.43	17.43
88120	TC	Cytp ume 3-5 probes ea spec	A	0.00	15.76	NA	0.02	15.78	15.78
88120	26	Cytp ume 3-5 probes ea spec	A	1.20	0.43	0.43	0.02	1.65	1.65
88121		Cytp urine 3-5 probes cmprtr	A	1.00	14.47	NA	0.03	15.50	15.50
88121	TC	Cytp urine 3-5 probes cmprtr	A	0.00	14.05	NA	0.01	14.06	14.06
88121	26	Cytp urine 3-5 probes cmprtr	A	1.00	0.42	0.42	0.02	1.44	1.44
88125		Forensic cytopathology	A	0.26	0.45	NA	0.03	0.74	0.74
88125	TC	Forensic cytopathology	A	0.00	0.32	NA	0.01	0.33	0.33
88125	26	Forensic cytopathology	A	0.26	0.13	0.13	0.02	0.41	0.41
88141		Cytopath c/v interpret	A	0.42	0.47	0.47	0.02	0.91	0.91
88160		Cytopath smear other source	A	0.50	1.36	NA	0.02	1.88	1.88
88160	TC	Cytopath smear other source	A	0.00	1.12	NA	0.01	1.13	1.13
88160	26	Cytopath smear other source	A	0.50	0.24	0.24	0.01	0.75	0.75
88161		Cytopath smear other source	A	0.50	1.18	NA	0.02	1.70	1.70
88161	TC	Cytopath smear other source	A	0.00	0.97	NA	0.01	0.98	0.98
88161	26	Cytopath smear other source	A	0.50	0.21	0.21	0.01	0.72	0.72
88162		Cytopath smear other source	A	0.76	2.01	NA	0.03	2.80	2.80
88162	TC	Cytopath smear other source	A	0.00	1.64	NA	0.01	1.65	1.65
88162	26	Cytopath smear other source	A	0.76	0.37	0.37	0.02	1.15	1.15
88172		Cytp dx eval fna 1st ea site	A	0.69	0.88	NA	0.02	1.59	1.59
88172	TC	Cytp dx eval fna 1st ea site	A	0.00	0.54	NA	0.01	0.55	0.55
88172	26	Cytp dx eval fna 1st ea site	A	0.69	0.34	0.34	0.01	1.04	1.04
88173		Cytopath eval fna report	A	1.39	2.82	NA	0.03	4.24	4.24
88173	TC	Cytopath eval fna report	A	0.00	2.20	NA	0.02	2.22	2.22
88173	26	Cytopath eval fna report	A	1.39	0.62	0.62	0.01	2.02	2.02
88177		Cytp fna eval ea addl	A	0.42	0.42	NA	0.02	0.86	0.86
88177	TC	Cytp fna eval ea addl	A	0.00	0.21	NA	0.01	0.22	0.22
88177	26	Cytp fna eval ea addl	A	0.42	0.21	0.21	0.01	0.64	0.64
88182		Cell marker study	A	0.77	2.23	NA	0.04	3.04	3.04
88182	TC	Cell marker study	A	0.00	2.00	NA	0.03	2.03	2.03
88182	26	Cell marker study	A	0.77	0.23	0.23	0.01	1.01	1.01
88184		Flowcytometry/ tc 1 marker	A	0.00	2.62	NA	0.01	2.63	2.63
88185		Flowcytometry/tc add-on	A	0.00	1.59	NA	0.01	1.60	1.60
88187		Flowcytometry/read 2-8	A	1.36	0.60	0.60	0.06	2.02	2.02
88188		Flowcytometry/read 9-15	A	1.69	0.79	0.79	0.09	2.57	2.57
88189		Flowcytometry/read 16 & >	A	2.23	0.84	0.84	0.10	3.17	3.17
88201		Cyto/molecular report	A	0.52	0.35	0.35	0.02	0.89	0.89
88300		Surgical path gross	A	0.08	0.33	NA	0.02	0.43	0.43
88300	TC	Surgical path gross	A	0.00	0.29	NA	0.01	0.30	0.30
88300	26	Surgical path gross	A	0.08	0.04	0.04	0.01	0.13	0.13
88302		Tissue exam by pathologist	A	0.13	0.75	NA	0.02	0.90	0.90

CPT/HCPCS	Modifier	Description	Status code	Work RVU	Non-facility PE RVU	Facility PE RVU	Mal-practice RVU	Non-facility total	Facility total
88302		Tissue exam by pathologist	A	0.00	0.69	NA	0.01	0.70	0.70
88302	26	Tissue exam by pathologist	A	0.13	0.06	0.06	0.01	0.20	0.20
88304		Tissue exam by pathologist	A	0.22	1.04	NA	0.02	1.28	1.28
88304	TC	Tissue exam by pathologist	A	0.00	0.94	NA	0.01	0.95	0.95
88304	26	Tissue exam by pathologist	A	0.22	0.10	0.10	0.01	0.33	0.33
88305		Tissue exam by pathologist	A	0.75	1.27	NA	0.02	2.04	2.04
88305	TC	Tissue exam by pathologist	A	0.00	0.94	NA	0.01	0.95	0.95
88305	26	Tissue exam by pathologist	A	0.75	0.33	0.33	0.01	1.09	1.09
88307		Tissue exam by pathologist	A	1.59	6.93	NA	0.04	8.56	8.56
88307	TC	Tissue exam by pathologist	A	0.00	6.14	NA	0.02	6.16	6.16
88307	26	Tissue exam by pathologist	A	1.59	0.79	0.79	0.02	2.40	2.40
88309		Tissue exam by pathologist	A	2.80	10.12	NA	0.07	12.99	12.99
88309	TC	Tissue exam by pathologist	A	0.00	8.73	NA	0.02	8.75	8.75
88309	26	Tissue exam by pathologist	A	2.80	1.39	1.39	0.05	4.24	4.24
88311		Decalcify tissue	A	0.24	0.33	NA	0.02	0.59	0.59
88311	TC	Decalcify tissue	A	0.00	0.22	NA	0.01	0.23	0.23
88311	26	Decalcify tissue	A	0.24	0.11	0.11	0.01	0.36	